INDEX

Page.

Ability of Colon Bacilli to Survive Pasteurization (paper) 401–410
Achillea lanulosa—
forage value of 97
viability of seed of, in range lands 106
Acid, phosphoric, in *Oryza sativa* 425–430
Agastache urticifolia—
forage value of 97
viability of seed of, in range lands 106
Agrilus—
bilineatus—
control of 292–293
ecology of 284
enemies of 292
life history of 283–294
spp., habits of 184
vittaticollis—
control of 184–185
description of burrows of 181
enemies of 184
habits of 183
host plants of 180
life history of 181–183
Agoseris glauca—
forage value of 97
viability of seeds of, in range lands 106
Agropyron—
flexuosum, forage value of 97
spicatum, viability of seed of, in range lands 106
spp.—
characters of lemma of 279
characters of palea of 280
characters of rachilla of 278–279
identification of seeds of 275–282
seed characters of 276–277
shape of seed of 278
water requirement of 44, 46, 52, 60–62
violaceum, forage value of 97
Agrostis rossae—
forage value of 97
viability of seed of, in range lands 106
Air and Wind Dissemination of Ascospores of the Chestnut-Blight Fungus (paper) 493–526
Alfalfa. See Medicago.
Alfalfa hopper, three-cornered 343–362
Allard, H. A. (paper), Effect of Dilution upon the Infectivity of the Virus of the Mosaic Disease of Tobacco 295–299
Allard et al. (paper), Oil Content of Seeds as Affected by the Nutrition of the Plant 227–249
Allium validum—
forage value of 97
viability of seed of, in range lands 106
Alternaria spp., growth in butter 302–303, 305, 307
Amaranthus—
graecizans, water requirement of 60, 62
retroflexus, water requirement of 47, 49, 53, 62
Ambrosia artemisiifolia, water requirement of 47–48, 52, 60, 62
Amygdalus persica, food plant of *Ceratitis capitata* 314

Page.

Andropogon sorghum—
water requirement of 20–25, 51, 53, 55–56, 58, 61–62
aethiopicus, water requirement of 20, 22–23, 36–37, 39, 51, 53, 61
Aphid—
clover 431–433
long-beaked clover. See *Aphis brevis*.
short-beaked clover. See *Aphis bakeri*.
Aphis—
bakeri—
description of 433
host plants of 433
brevis—
description of 431–433
host plants of 431–432
Apple. See Malus.
Apple Root Borer (paper) 179–186
See also *Agrilus vittaticollis*.
Arachis hypogaea, oil content of seed of 244–245
Argiope transversa, enemy of *Stictocephala festina* 359
Armillaria mellea, relation to injury by *Agrilus bilineatus* 284–285
Armsby, H. P., and Fries, J. A. (paper), Net Energy Values of Feeding Stuffs for Cattle 435–492
Artemisia frigida, water requirement of 43, 50, 60, 62
Ash analyses of leaves and twigs of *Carya illinoensis* 165–166, 169
Aspen. See *Populus tremuloides*.
Aspergillus repens, growth in butter 307
Assimilation of Colloidal Iron by Rice (paper) 205–210
Atanycolus sp., parasite of *Agrilus bilineatus* 292
Avena sativa—
host plant of *Stictocephala festina* 346
water requirement of 11–12, 50–53, 55–56, 59, 61–62
Ayers, S. H., and Johnson, W. T., jr. (paper), Ability of Colon Bacilli to Survive Pasteurization 401–410

Bacillus coli—
ability to survive pasteurization 401–410
effect of heat on 403–408
presence of, index of efficiency of pasteurization 403–408
thermal death point of 402–406
Back, E. A., and Pemberton, C. E.—
Life History of the Mediterranean Fruit Fly from the Standpoint of Parasite Introduction (paper) 363–374
Life History of the Melon Fly (paper) 269–274
Susceptibility of Citrous Fruits to the Attack of the Mediterranean Fruit Fly (paper) 311–330
Bactrocera cucurbitae—
comparison with *Ceratitis capitata* 370–371
host plants of 269
life history of 269–274
Banana. See *Musa sapientum*.

Page.

Barley. See Hordeum.
Bean—
horse. See *Vicia faba.*
Mexican. See *Phaseolus vulgaris.*
navy. See *Phaseolus vulgaris.*
soy. See *Glycine hispida.*
wild soy. See *Glycine soja.*
Bearce, H. W. (paper), Studies in the Expansion of Milk and Cream..... 251–268
Beardtongue, blue. See *Pentstemon procerus.*
Beet, sugar. See *Beta vulgaris.*
Beta vulgaris, water requirement of. 16, 50, 55, 59, 61
Bird enemy of *Stictocephala festina*..... 360
Blight fungus, chestnut. See *Endothia parasitica.*
Bluegrass—
little. See *Poa sandbergii.*
mountain. See *Melica* spp.
Boebera papposa, water requirement of..... 47–48, 52, 60, 62
Borer—
apple root..... 179–186
oak. See *Agrilus bilineatus.*
two-lined chestnut. See *Agrilus bilineatus.*
Botryosphaeria marconii, n. comb., causal organism of fungous disease of *Cannabis sativa*. 83
Bouteloua gracilis, water requirement of..... 44–45, 53, 60, 62
Brachysm—
a Hereditary Deformity of Cotton and Other Plants (paper)..... 387–400
comparison with nanism..... 387
description of..... 387–395
origin of..... 389
relation to homœosis..... 396–398
relation to hybrids..... 395–396
Brassica spp., water requirement of..... 41–42, 52–53, 59, 61
Briggs, L. J., and Shantz, H. L. (paper), Relative Water Requirement of Plants..... 1–64
Brome-grass. See Bromus.
Bromus—
hordeaceus, viability of seed of, in range lands..... 106
inermis, water requirement of.... 44–46, 51, 60–61
marginatus—
forage value of..... 97
viability of seed of, in range lands..... 106
Brooks, F. E. (paper), Apple Root Borer.. 179–186
Buckwheat. See *Fagopyrum fagopyrum.*
wild. See *Polygonum phytolaccaefolium.*
Budding, effect of, on pecan rosette... 158–159, 167
Buffalo grass. See *Bulbilis dactyloides.*
Bulbilis dactyloides, water requirement of.... 44–45, 53, 60, 62
Butter—
moldiness in..... 301–310
moldy, analyses of..... 301
types of mold in..... 302–303
Butterweed. See *Senecio triangularis.*

Cabbage. See Brassica.
Calamagrostis—
canadensis, viability of seed of, in range lands..... 106
rubescens, viability of seed of, in range lands. 106
Calophyllum inophyllum, host plant of *Ceratitis capitata*..... 313–314, 316, 364
Cannabis sativa, fungous disease of..... 81–84
Cantaloupe. See *Cucumis melo.*
Capriola dactylon, food plant of *Stictocephala festina*..... 346
Capsella bursa-pastoris, host plant of *Aphis bakeri*..... 433
Carbohydrate, transformation of, in *Ipomoea batatas* during storage..... 336–339
Carbonate, soil, decomposition of..... 79–80
Carex—
exsiccata—
forage value of..... 97
viability of seed of, in range lands..... 106
geyeri—
forage value of..... 97
viability of seed of, in range lands..... 106
hoodii—
forage value of..... 97
viability of seed of, in range lands..... 106
illota—
forage value of..... 97
viability of seed of, in range lands..... 106
Carica papaya, host plant of *Ceratitis capitata*..... 316
Carophyllus jambos, host plant of *Ceratitis capitata*..... 314
Carrero, J. O., and Gile, P. L. (paper), Assimilation of Colloidal Iron by Rice..... 205–210
Carya illinoensis, ash analyses of leaves and twigs of..... 165–166, 169
Castanea dentata, host plant of *Agrilus bilineatus*..... 283, 284
Cattle, net energy values of feeding stuffs for..... 435–492
Celery, wild. See *Ligusticum oreganum.*
Ceratitis capitata—
comparison with *Bactrocera cucurbitae*... 370–371
control of..... 328
effect of oil from rind of *Citrus* spp. on.... 317–319
habits of..... 314–315
host-fruit preference of..... 314
host plants of..... 312–314
injury to citrous fruits by..... 322–328
life history of..... 363–374
mortality among eggs of..... 315–319
mortality among larvæ of..... 315–317, 319–322
susceptibility of citrous fruits to the attack of..... 311–330
Chaetochloa italica, water requirement of 26–27, 38–39, 51, 53, 55–56, 58, 61–62
Changes in Composition of Peel and Pulp of Ripening Bananas (paper)..... 187–203
Chapman, R. N. (paper), Observations on the Life History of Agrilus Bilineatus.... 283–294
Chamaenerion angustifolium—
forage value of..... 97
viability of seed of, in range lands..... 106
Charles, V. K., and Jenkins, A. E. (paper), A Fungous Disease of Hemp..... 81–84
Chenopodium album, water requirement of.. 47–48, 52, 62
Chestnut-blight fungus. See *Endothia parasitica.*
Chestnut borer, two-lined. See *Agrilus bilineatus.*

Page.
Chrysophyllum cainito, food plant of *Ceratitis capitata*..... 314-315
Chick-pea. See *Cicer arietinum*.
Cicer arietinum, water requirement of..... 28, 30, 50-51, 59
Cinna latifolia, viability of seed of, in range lands..... 106
Citrullus vulgaris—
host plant of *Bactrocera cucurbitae*..... 269
water requirement of..... 40-41, 52-53, 59, 61
Citrus spp.—
effect of oil from rind of, on eggs of *Ceratitis capitata*..... 317-319
host plants of *Ceratitis capitata*..... 311-330
Climate—
effect on development of *Ceratitis capitata*. 324-328
effect on oil content of seed..... 245
influence on development of forage plants. 109-115
Clover—
bur. See *Medicago denticulata*.
crimson. See *Trifolium incarnatum*.
red. See *Trifolium pratense*.
sweet. See *Melilotus alba*.
yellow sweet. See *Melilotus officinalis*.
Clover aphid. See Aphis.
"Cluster," cotton, agricultural defects of..... 398
Cocklebur. See *Xanthium commune*.
Collins, G. N. (paper), A More Accurate Method of Comparing First-Generation Maize Hybrids with Their Parents..... 85-91
Colon bacilli, ability to survive pasteurization..... 401-410
Coloring Matter of Raw and Cooked Salted Meats (paper)..... 211-226
Coneflower. See *Rudbeckia occidentalis*.
Cook, O. F. (paper), Brachysm, a Hereditary Deformity of Cotton and Other Plants.. 387-400
Corn. See *Zea mays*.
Cotton—
"cluster," agricultural defects of..... 398
See also Gossypium.
Cowpea. See *Vigna sinensis*.
Crataegus spp., host plant of *Aphis brevis*.. 431-432
Cream—
effect of temperature upon density of.... 254-262
effect of temperature upon volume of.. 262, 265-268
expansion of..... 251-268
Crucifer, water requirement of..... 41-42, 59, 61
Cucumber. See *Cucumis sativus*.
Cucumis—
melo—
host plant of *Bactrocera cucurbitae*..... 269
water requirement of..... 40-41, 52-53, 59, 61
sativus—
host plant of *Bactrocera cucurbitae*..... 269
water requirement of..... 40, 52-53, 59, 61
Cucurbit, water requirement of..... 40-41, 61
Cucurbita—
maxima, water requirement of..... 40, 52, 59, 61
pepo—
host plant of *Bactrocera cucurbitae*..... 269
water requirement of..... 40, 52, 59, 61
Cunninghamiella sp., growth in butter..... 307
Curtis, M. R. (paper), Relation of Simultaneous Ovulation to the Production of Double-yolked Eggs..... 375-386

Page.
Curve, logarithmic—
fitting by the method of moments..... 411-423
moments of..... 412-417
use of, in agricultural and biological investigations..... 411-412
Cydonia japonica, host plant of *Aphis brevis*.. 431

Dahlberg, R. C. (paper), Identification of the Seeds of Species of Agropyron..... 275-282
Dandelion, mountain. See *Agoseris glauca*.
Decomposition of Soil Carbonates (paper).... 79-80
Deschampsia—
caespitosa, viability of seed of, in range lands 106
elongata, viability of seed of, in range lands. 106
spp., forage value of..... 97
Dirhinus giffardii, parasite of *Ceratitis capitata*. 363
Disease, mosaic, of tobacco, effect of dilution upon the infectivity of the virus of..... 295-299
Durra. See *Andropogon sorghum*.
Dwarfing, true, of plants, comparison with brachysm..... 387

Effect of Dilution upon the Infectivity of the Virus of the Mosaic Disease of Tobacco (paper)..... 295-299
Egg—
double-yolked—
origin of..... 376-582
ovarian relation of the two follicles furnishing the yolks for..... 380-382
relation between rate of fecundity and type of doubling of..... 379-380
relation of simultaneous ovulation to the production of..... 375-386
relation of the nature of the doubling to the functional divisions of the oviduct..... 376-378
types of..... 375-376
ovarian doubling of yolk of..... 382-384
Elymus glaucus, viability of seed of, in range lands..... 106
Emmer. See Triticum.
Endothia parasitica—
detection of ascospores of, by ascospore traps..... 512-516
detection of ascospores of, by aspirator tests..... 516-519
detection of ascospores of, by exposure plates..... 496-512
detection of ascospores of, by water spore traps..... 519-523
dissemination of ascospores of..... 493-526
Energy—
chemical—
influence of quantity of feed consumed on losses of..... 445-447
loss in feed..... 439-449
expenditure consequent upon feed consumption..... 453-482
metabolizable—
determination of, in feed..... 450-453
in feed..... 439-453
variability in feed..... 449-450
Environment, effect on oil content of seed. 239-241
Eriobotrya japonica, host plant of *Ceratitis capitata*..... 313
Errata..... iv

Page.

Erythraeus sp., enemy of *Stictocephala festina*. 359
Euchlaena mexicana, water requirement of.. 17–20, 53, 58, 61

Fagopyrum fagopyrum, water requirement of. 59, 61
Feces, loss of chemical energy of feed in.... 440–449
Feed—
composition of dry matter of..... 437–438
computation of net energy value of..... 483–488
influence of, on heat production in cattle. 456–458
influence of individuality on losses of chemical energy of..... 447–449
influence of quantity consumed on losses of chemical energy of..... 445–447
loss of chemical energy of..... 439–453
metabolizable energy of..... 439–453
net energy values of, for cattle..... 435–492
relation of, to heat production of cattle in various positions..... 453–482
Fertilizer—
effect on oil content of seed..... 245–247
effect on pecan rosette..... 159–162, 168
Festuca viridula—
forage value of..... 97–127
viability of seed of..... 106–107
Feterita. See *Andropogon sorghum*.
Fireweed. See *Chamaenerion angustifolium*.
Fitting Logarithmic Curves by the Method of Moments (paper)..... 411–423
Flax. See *Linum usitatissimum*.
Fly, Mediterranean fruit. See *Ceratitis capitata*.
Fly, melon. See *Bactrocera cucurbitae*.
Forage plant—
development under yearlong protection.. 121–125
factors influencing establishment of reproduction on range lands..... 109–115
influence of physical conditions on development of..... 109–115, 142
loss of, in range lands..... 142
production of, under deferred grazing.... 125–143
reproduction of, under yearlong grazing.. 118–119
Foubert, C. L., et al. (paper), Oil Content of Seeds as Affected by the Nutrition of the Plant..... 228–249
Foxtail, white. See *Sitanion velutinum*.
Fries, J. A., and Armsby, H. P. (paper), Net Energy Values of Feeding Stuffs for Cattle 435–492
Fruit fly, Mediterranean. See *Ceratitis capitata*.
Fungus, chestnut-blight. See *Endothia parasitica*.
Fungous Disease of Hemp, A (paper)..... 81–84
Fusarium sp., growth in butter..... 307

Galesus silvestrii, parasite of *Ceratitis capitata*. 363
Gardner, M. W., et al. (paper), Air and Wind Dissemination of Ascospores of the Chestnut-Blight Fungus..... 493–526
Garner, W. W., Allard, H. A., and Foubert, C. L. (paper), Oil Content of Seeds as Affected by the Nutrition of the Plant..... 227–249
Geranium viscosissimum, viability of seed of, in range lands..... 106
Gile, P. L., and Carrero, J. O. (paper), Assimilation of Colloidal Iron by Rice..... 205–210

Page.

Glycine—
hispida—
host plant of *Stictocephala festina*..... 346
oil content of seed of..... 230–241
water requirement of..... 30–31, 34, 52, 59, 61
soja, water requirement of.. 30–31, 34, 52–53, 59, 61
Gore, H. C. (paper), Changes in Composition of Peel and Pulp of Ripening Bananas... 187–203
Gossypium spp.—
hereditary deformity of..... 387–400
oil content of seed of..... 230–232, 239, 242, 246
water requirement of..... 16–17, 50, 52–56, 59, 61
Grafting, effect on pecan rosette..... 158–159, 167
Grain, water requirement of.... 5, 8–27, 37–39, 50–62
Grama grass. See *Bouteloua gracilis*.
Grapefruit. See Citrus.
Grass—
Bermuda. See *Capriola dactylon*.
brome. See *Bromus inermis*.
brome, short-awned. See *Bromus marginatus*.
buffalo. See *Bulbilis dactyloides*.
bunch. See Agropyron; Festuca.
elk. See *Carex geyeri*.
grama. See *Bouteloua gracilis*.
hair. See Deschampsia.
Johnson. See *Sorghum halepense*.
little needle. See *Stipa minor*.
mountain bunch. See *Festuca viridula*.
mountain wheat. See *Agropyron violaceum*.
needle. See *Stipa occidentalis*.
onion. See Melica.
red bunch. See *Agropyron flexuosum*.
reed. See *Cinna latifolia*.
Sudan. See *Andropogon sorghum aethiopicus*.
tall meadow. See *Panicularia nervata*.
tall swamp. See *Carex exsiccata*.
water requirement of..... 43–46, 52–53, 60–62
western porcupine. See *Stipa occidentalis*.
wheat. See Agropyron.
Grazing—
deferred—
advantages of, in range lands 143–145
influence on reproduction of forage plants in range lands..... 125–146
selection of lands for..... 145
relation of, to growth of forage plants.... 115–146
relation of, to revegetation..... 115–146
season-long. See Grazing, yearlong.
yearlong—
influence on reproduction of forage plants..... 116–125
on range lands..... 116
Grindelia squarrosa, water requirement of.. 43, 50, 60
Guava. See Psidium.
Gumweed. See *Grindelia squarrosa*.

Hasselbring, H., and Hawkins, L. A. (paper), Physiological Changes in Sweet Potatoes during Storage..... 331–342
Hawkins, L. A., and Hasselbring, H. (paper), Physiological Changes in Sweet Potatoes during Storage..... 331–342
Hawthorn. See Crataegus.

Page.
Heald, F. D., Gardner, M. W., and Studhalter, R. A. (paper), Air and Wind Dissemination of Ascospores of the Chestnut-Blight Fungus..... 493-526
Heart-Rot of Oaks and Poplars Caused by Polyporus Dryophilus (paper) 65-78
Heat—
effect of, on *Bacillus coli*..... 403-408
influence of various feeds on production of, in cattle..... 453-482
loss of, in cattle, consequent on feed consumption..... 453-482
Hedgcock, George G., and Long, W. H. (paper), Heart-Rot of Oaks and Poplars Caused by Polyporus Dryophilus..... 65-78
Helianthus spp.—
host plant of *Stictocephala festina*..... 346
water requirement of..... 47-48, 52, 53, 60, 62
Hellebore, false. See *Veratrum viride*.
Hemochromogen, nitric-oxid, coloring matter of cooked salted meats..... 221-224
Hemoglobin, nitric-oxid, coloring matter of raw salted meat..... 212-221
Hemp. See *Cannabis sativa*.
Hieracium cynoglossoides—
forage value of..... 97
viability of seed of, in range lands..... 106
Hoagland, Ralph (paper), Coloring Matter of Raw and Cooked Salted Meats..... 211-226
Hordeum spp.—
host plants of *Stictocephala festina*..... 346
water requirement of..... 13-14, 50-51, 55, 59, 61
Horse bean. See *Vicia faba*.
Horsemint. See *Agastache urticifolia*.
Humidity, effect on mold growth in butter..... 304-306, 308-309

Identification of the Seeds of Species of Agropyron (paper)..... 275-282
Ipomoea batatas—
carbohydrate transformations in, during storage..... 336-339
physiological changes in, during storage.. 331-342
Iron, colloidal, assimilation of, by rice..... 205-210

Jacob's-ladder. See *Polemonium humile*.
Jenkins, A. E., and Charles, V. K. (paper), Fungous Disease of Hemp..... 81-84
Johnson, W. T., jr., and Ayers, S. H. (paper), Ability of Colon Bacilli to Survive Pasteurization..... 401-410
Juncoides glabratum—
forage value of..... 97
viability of seed of, in range lands..... 106
Juncus spp., forage value of..... 97

Kafir. See *Andropogon sorghum*.
Kamani—
ball. See *Calophyllum inophyllum*.
winged. See *Terminalia calappa*.
Kaoliang. See *Andropogon sorghum*.
Koeleria cristata, viability of seed of, in range lands..... 106

Lamb's-quarters. See *Chenopodium album*.
Lathyrus odoratus, host plant of *Aphis brevis*.. 432
Legumes, water requirement of..... 27-39, 55-56, 61

Page.
Life History of the Mediterranean Fruit Fly from the Standpoint of Parasite Introduction (paper)..... 363-374
Life History of the Melon Fly (paper)..... 269-274
Ligusticum oreganum, viability of seed of, in range lands..... 106
Linum usitatissimum, water requirement of.. 15-16, 52-53, 59, 61
Logarithmic curves, use of..... 417-421
Long, W. H., and Hedgcock, G. G. (paper), Heart-Rot of Oaks and Poplars Caused by Polyporus Dryophilus..... 65-78
Loquat. See *Eriobotrya japonica*.
Lycopersicon esculentum, food plant of *Stictocephala festina*..... 345

MacIntire, W. H. (paper), Decomposition of Soil Carbonates..... 79-80
Maize, comparison of first-generation hybrids with parents..... 85-91
Malus spp., host plant of *Aphis bakeri*..... 433
Mangifera indica, host plant of *Ceratitis capitata*..... 313-314, 364
Mango. See *Mangifera indica*.
Marigold, fetid. See *Boebera papposa*.
Meat, salted, coloring matter of..... 211-229
Medicago—
denticulata, host plant of *Stictocephala festina*..... 346
sativa—
host plant of *Stictocephala festina*..... 344-346, 350, 357-359
injury to, by *Stictocephala festina*..... 357-359
spp., water requirement of..... 27-39, 50, 52, 55-56, 60-62
Mediterranean fruit fly. See *Ceratitis capitata*.
Melica—
bella—
forage value of..... 97
viability of seed of, in range lands..... 106
spp., forage value of..... 97
Melilotus—
alba, water requirement of..... 27-30, 50, 55, 59, 61
officinalis, food plant of *Stictocephala festina*..... 346
Melon—
musk. See *Cucumis melo*.
water. See *Citrullus vulgaris*.
Melon fly. See *Bactrocera cucurbitae*.
Membracis festina, syn. *Stictocephala festina*.
Mesquite. See *Prosopis juliflora*.
Metabolism, in cattle, influence of position on..... 453-482
Methane—
loss of chemical energy of feed in 440-449
quantity in various feeds..... 450
Mexican bean. See *Phaseolus vulgaris*.
Milk—
and cream, expansion of..... 251-268
effect of temperature upon density of..... 254-262
effect of temperature upon volume of. 262, 265-268
Millet. See *Chaetochloa italica*..... 26-27
Milo. See *Andropogon sorghum*.
Moisture, soil, relation to loss of forage plants in range lands..... 142

Mold— Page.
black, growth in butter 303, 305, 307
green, growth in butter 303, 305, 307–308
red, growth in butter 303, 307–308
relation of humidity to growth in butter. 304–306, 308–309
smudged, growth, in butter 302–303, 305
Moldiness in Butter (paper) 101–310
Moments, fitting logarithmic curves by method of 411–423
More Accurate Method of Comparing First-Generation Maize Hybrids with Their Parents, A (paper) 85–91
Mosaic disease. See Disease, mosaic.
Mucor sp., growth in butter 303, 305, 307
Mumsops elangi, host plant of *Ceratitis capitata* 364
Musa sapientum—
changes in composition of 187–203
changes in composition of, in ripening ... 187–203
composition of 190–198
respiration of 199
Muskmelon. See *Cucumis melo*.

Nanism, comparison with brachysm 387
Natural Revegetation of Range Lands Based upon Growth Requirements and Life History of the Vegetation (paper) 93–148
Net Energy Values of Feeding Stuffs for Cattle (paper) 435–492
Nitrogenous Soil Constituent, A: Tetracarbonimid (paper) 175–178

Oak. See Quercus.
Oak borer. See *Agrilus bilineatus*.
Oats. See *Avena sativa*.
Observations on the Life History of Agrillus Bilineatus (paper) 283–294
Oidium lactis, growth in butter 303, 305, 307–308
Oil Content of Seeds as Affected by the Nutrition of the Plant (paper) 227–249
Orange. See Citrus.
Organic Phosphoric Acid of Rice (paper).. 425–430
Orton, W. A., and Rand, F. V. (paper), Pecan Rosette 149–174
Oryza sativa—
growth of, with dialyzed iron 206–209
growth of, with ferric chlorid 206–209
organic phosphoric acid of 425–430
water requirement of 15, 50, 52–56, 59, 61
Ovulation, simultaneous, relation of, to the production of double-yolked eggs 375–386
Onion—
mountain. See *Allium validum*.
wild. See Allium.
Opius humilis, parasite of *Ceratitis capitata* ... 363

Panicularia nervata—
forage value of 97
viability of seed of, in range lands 106
Panicum miliaceum, water requirement of.. 26–37, 36–37, 39, 51, 58, 61–62
Papaya. See *Carica papaya*.
Pasteurization, ability of colon bacilli to survive 401–410
Patch, E. M. (paper), Two Clover Aphids.. 431–433
Pea— Page.
Canada field. See *Pisum sativum*.
sweet. See *Lathyrus odoratus*.
Peach. See *Amygdalus persica*.
Peanut. See *Arachis hypogaea*.
Pearl, R., on use of logarithmic curves in biological and agricultural investigations. 411–412
Pecan. See *Carya illinoensis*.
Pecan Rosette (paper) 149–174
Pemberton, C. E., and Back, E. A.—
Life History of the Mediterranean Fruit Fly from the Standpoint of Parasite Introduction (paper) 363–374
Life History of the Melon Fly (paper) ... 269–274
Susceptibility of Citrus Fruits to the Attack of the Mediterranean Fruit Fly (paper) 311–330
Penicillium spp., growth in butter.. 303, 305, 307–308
Penistemon procerus—
forage value of 97
viability of seed of, in range lands 106
Phaseolus vulgaris, water requirement of 30, 34–35, 52–53, 59, 61
Phleum alpinum, viability of seed of, in range lands 106
Physiological Changes in Sweet Potatoes during Storage (paper) 331–342
Pigweed. See *Amaranthus retroflexus*.
Pisum sativum, water requirement of 30, 34–35, 52–53, 59, 61
Plants—
effect of nutrition on oil content of seeds.. 227–249
effect of varietal differences on oil content of seeds 237–239
relative water requirement of 1–64
Poa sandbergii—
forage value of 97
viability of seed of, in range lands 106
Polemonium humile—
forage value of 97
viability of seed of, in range lands 106
Polygonum phytolaccaefolium—
forage value of 97
viability of seed of, in range lands 109
Polyporus dryophilus—
distribution of 72–75
causal organism of heart-rot of oaks and poplars 65–78
description of sporophores of 70–72
Poplar. See Populus.
Populus—
spp., heart-rot of 65–78
tremuloides, host plant of *Polyporus dryophilus* 66, 68–71, 73–75
Portulaca oleracea, water requirement of 47, 49, 53, 60, 62
Potato—
Irish. See *Solanum tuberosum*.
sweet. See *Ipomoea batatas*.
Prosopis glandulosa, food plant of *Stictocephala festina* 346
Proso. See *Panicum miliaceum*.
Pruning, effect of, on pecan rosette 152, 168
Prunus spp., host plant of *Aphis brevis* 431
Psidium spp., host plant of *Ceratitis capitata*. 324, 364
Pumpkin. See *Cucurbita pepo*.
Purslane. See *Portulaca oleracea*.

Quercus spp.— Page.
heart-rot of 65-78
host plants of *Agrilus bilineatus* 283-284
Quince, Japan. See *Cydonia japonica.*

Ragweed, western. See *Ambrosia artemisiifolia.*
Rand, F. V., and Orton, W. A. (paper), Pecan Rosette 149-174
Range land—
character and distribution of vegetation ... 95-100
dissemination of seed crop of 108-109
factors influencing establishment of reproduction of forage plants of 109-115
flower-stalk production in 102-104
life history of forage plants of 101-115
management of, during revegetation 146
period of seed maturity of 104-105
revegetation of 93-148
selection of, for deferred grazing 145
systems of grazing on 115-146
viability of seed crop on 105-108
Rape. See Brassica.
Redtop, alpine. See *Agrostis rossae.*
Relation of Simultaneous Ovulation to the Production of Double-Yolked Eggs (paper) 375-386
Relative Water Requirement of Plants (paper) 1-64
Revegetation of range lands 93-148
Rhizopus nigricans, growth in butter 306-307
Rice—
assimilation of colloidal iron by 205-210
organic phosphoric acid of 425-430
See also *Oryza sativa.*
Root borer, apple 179-186
Rose-apple. See *Carophyllus jambos.*
Rosette, pecan—
comparison with other diseases 169-171
control of 172-173
distribution of 149-150
effect of budding on 158-159, 167
effect of fertilizer on 159-162, 168
effect of grafting on 158-159, 167
effect of pruning on 152, 168
effect of spraying with Bordeaux mixture on 162
effect of transplanting on 152-155, 167-168
effect on germination of nuts 155-156
inoculation experiments with 156-157, 166-167
isolation of microorganisms of 156-157, 167
nature of 171-172
orchard observations of 163-165, 168
parasitism of 166-167
symptoms of 150-151
virulence of 150-151
Rot—
heart, of oaks and poplars caused by *Polyporus dryophilus* 65-78
piped—
control of 76
in *Populus* spp 65-78
in *Populus tremuloides*, characters of 68-70
in *Quercus* spp 65-78
in *Quercus* spp., characters of 66-68
Rudbeckia occidentalis—
forage value of 97
viability of seed of, in range lands 106
Rush. See *Juncus* spp. Page.
Rush, wood. See *Juncoides glabratum.*
Rye. See *Secale cereale.*
Rye, smooth wild. See *Elymus glaucus.*

Sage, mountain. See *Artemisia frigida.*
Salix nuttallii, forage plant of 97
Salsola pestifer, water requirement of 60, 62
Salt, effect of, on mold growth in butter .. 304-309
Sampson, A. W. (paper), Natural Revegetation of Range Lands Based upon Growth Requirements and Life History of the Vegetation 93-148
Saperda candida, host plants of 180
Secale cereale, water requirement of 14, 50-51, 55, 59, 61
Seed—
effect of climate on oil content of 245
effect of environment on oil content of ... 239-241
effect of fertilizer on oil content of 245-247
effect of length of growing period on oil content of 236-237
effect of nutrition of plant on oil content of 227-249
effect of partial defoliation on oil content of 232-234
effect of partial removal of seed pods on oil content of 234-235
effect of size on oil content of 235
effect of soil on oil content of 241-245
oil content of, at successive stages of development 230-232
varietal differences in oil content of 237-239
Senecio triangularis, forage value of 97
Shantz, H. L., and Briggs, L. J. (paper), Relative Water Requirement of Plants 1-64
Shaw, R. H., and Thom, C. (paper), Moldiness in Butter 301-310
Shepherd's-purse. See *Capsella bursa-pastoris.*
Shorey, E. C., and Walters, E. H. (paper), A Nitrogenous Soil Constituent: Tetracarbonimid 175-178
Sitanion velutinum, viability of seed of, in range lands 106
Skunkweed. See *Polemonium humile.*
Soil carbonate—
decomposition of 79-80
effect on oil content of seed 241-245
Solanum tuberosum, water requirement of. 41-42, 52-53, 56, 59, 61
Sorghum. See *Andropogon sorghum.*
Sorghum halepense, food plant of *Stictocephala festina* 346
Soy bean. See *Glycine hispida.*
Soy bean, wild. See *Glycine soja.*
Spraying, effect on pecan rosette 162
Squash, Hubbard. See *Cucurbita maxima.*
Star-apple. See *Chrysophyllum cainito.*
Stictocephala festina—
control of 361
description of 346-348
distribution of 344-345
effect of altitude on distribution of 345
enemies of 359-360
habits of 348-357
host plants of 345-346
life history of 348-357

Stipa—
minor— Page.
forage value of..... 97
viability of seed of, in range lands..... 106
occidentalis—
forage value of..... 97
viability of seed of, in range lands..... 106
Studhalter, R. A., et al. (paper), Air and Wind Dissemination of Ascospores of the Chestnut-Blight Fungus..... 493–526
Studies in the Expansion of Milk and Cream (paper)..... 251–268
Sudan grass. See *Andropogon sorghum aethiopicus*.
Sedge. See *Carex* spp.
Sugar beet. See *Beta vulgaris*.
Sunflower. See *Helianthus* spp.
Susceptibility of Citrous Fruits to the Attack of the Mediterranean Fruit Fly (paper).. 311–330

Tansy, wild. See *Achillea lanulosa*.
Teosinte. See *Euchlaena mexicana*.
Terminalia catappa, host plant of *Ceratitis capitata*..... 316, 364
Tetracarbonimid, a nitrogenous soil constituent..... 175–178
Tetrastichus giffardii, probable parasite of *Ceratitis capitata*..... 363
Thistle, Russian. See *Salsola pestifer*.
Thom, C., and Shaw, R. H. (paper), Moldiness in Butter..... 301–310
Thompson, A. R. (paper), Organic Phosphoric Acid of Rice..... 425–430
Three-Cornered Alfalfa Hopper (paper).... 343–362
Timothy, alpine. See *Phleum alpinum*.
Tobacco, effect of dilution upon the infectivity of the virus of the mosaic disease of.... 295–299
Topography, relation of, to loss of forage plants in range lands..... 142
Transplanting, effect of, on pecan rosette.. 152–155, 167–168
Trichoderma sp., growth in butter..... 307–308
Trichogrammidae, parasites of *Agrilus bilineatus*..... 292
Trifolium—
incarnatum, water requirement of..... 30, 33, 35, 52, 59, 61
pratense—
host plant of *Aphis bakeri*..... 433
host plant of *Stictocephala festina*..... 346
spp., host plant of *Aphis brevis*..... 431
Trisetum spicatum, forage value of..... 97
Triticum spp.—
effect of fertilizer on water requirement of.. 5, 50–51
effect of screened inclosure on water requirement of..... 3
host plant of *Stictocephala festina*..... 346
water requirement of..... 8–10, 50–56, 58, 60–62
Tumbleweed. See *Amaranthus graecizans*.
Turnip. See Brassica.
Two Clover Aphids (paper)..... 431–433
Urine, loss of chemical energy of feed in.... 440–449

Page.
Use of logarithmic curves in biological and agricultural investigations..... 411–412

Wallowa National Forest, topography and soil..... 94–95
Walters, E. H., and Shorey, E. C. (paper), A Nitrogenous Soil Constituent: Tetracarbonimid..... 175–178
Watermelon. See *Citrullus vulgaris*.
Water requirement—
definition of..... 2
of plants, relative..... 1–64
Weed, water requirement of..... 46–49
Weed, woolly. See *Hieracium cynoglossoides*.
Wheat. See Triticum.
Wheat-grass. See Agropyron.
Wildermuth, V. L. (paper), Three-Cornered Alfalfa Hopper..... 343–362
Willow, Nuttall. See *Salix nuttallii*.
Wind dissemination of ascospores of *Endothia parasitica*..... 493–526

Valeriana sitchensis, forage value of..... 97
Veratrum viride—
forage value of..... 97
viability of seed of, in range lands..... 106
Vetch. See Vicia.
Vicia spp., water requirement of..... 30–31, 33–36, 52, 59, 61–62
Vigna sinensis—
host plant of *Stictocephala festina*.. 345, 350–351, 359
injury to, by *Stictocephala festina*..... 359
water requirement of..... 30–31, 35, 52–53, 59, 61

Xanthium commune, water requirement of.. 47, 52, 60, 62
Xylophruridea agrili, parasite of *Agrilus vittaticollis*..... 184

Yarrow. See *Achillea lanulosa*.

Zea mays, water requirement of..... 17–20, 50, 53, 55–56, 58, 61
Zone—
Arctic-Alpine, character of vegetation of.. 97–98
Canadian—
character of vegetation of..... 96
climate of..... 98–100
inception of growth of forage plants in.. 101–102
Hudsonian—
character of vegetation of..... 96–97
climate of..... 98–100
development of forage plants under year-long protection in..... 121–124
flower-stalk production in..... 102–104
inception of growth of forage plants in. 101–102
Transition—
character of vegetation of..... 95–96
climate of..... 98–100
development of forage plants under year-long protection in..... 124–125
inception of growth of forage plants in.. 101–102

INDEX

XU

5
7
7
6
,
2
9
9
1
7,
2
4
0,
61
98
96
00
02
97
00
24
04
02
96
00
125
102